



DWK LIFE SCIENCES
DURAN WHEATON KIMBLE

DWK EVERYDAY ESSENTIALS

TRUSTED TOOLS, SMARTER SPEND



DWK Life Sciences SALES PARTNER

Find it at [fishersci.com](https://www.fishersci.com) and [fishersci.ca](https://www.fishersci.ca)

 **fisher scientific**
part of Thermo Fisher Scientific

DWK EVERYDAY ESSENTIALS

DWK Life Sciences is putting the spotlight on our core lab solutions – beakers, bottles, Erlenmeyer flasks, and more. Whether you're refreshing your lab setup or streamlining your supply choices, our trusted **WHEATON®** and **KIMBLE® Everyday Essentials** are now conveniently featured in a single brochure.

With everything in one place, finding the right fit for your lab is simple. And with pricing designed to support smarter spending, your lab will be equipped with premium products for consistent performance.




KIMBLE® KIMAX® BEAKERS

Made from durable borosilicate 3.3 glass, **KIMBLE® KIMAX® beakers** offer excellent thermal resistance, clear graduations and easy-to-label marking areas. Standard Griffin beakers are ideal for mixing and heating on hotplates. Heavy Duty Beakers feature extra-thick walls for enhanced durability and are designed for demanding environments where breakage resistance is key.



KIMBLE® KIMAX® ERLENMEYER FLASKS

Designed for precision and durability, **KIMBLE® KIMAX® Erlenmeyer Flasks** are a trusted choice for everyday lab work. Made from high-quality borosilicate 3.3 glass and compliant with ASTM E1404 standards, they feature a reinforced, rounded top and durable ceramic enamel markings for easy volume estimation. Ideal for mixing and heating liquids with confidence.



KIMBLE® KIMAX® VOLUMETRIC CYLINDERS & FLASKS

The **KIMBLE® KIMAX® volumetric range** delivers precision and durability across a range of graduated cylinders and volumetric flasks. Calibrated to Class A or B standards, graduated cylinders feature easy-to-read scales, and stability-enhancing designs, while volumetric flasks are also available with a heavy-duty design offering added strength and safety.



KIMBLE® & WHEATON® MEDIA BOTTLES

KIMBLE® and **WHEATON® media bottles** are made from low extractable borosilicate 3.3 glass for clarity, durability, and chemical resistance. Both feature easy-to-read graduations, marking spots for labeling, and secure, autoclavable caps. **KIMBLE®** media bottles are supplied with a linerless, polypropylene screw cap while **WHEATON®** media bottles are supplied with black phenolic caps.




WHEATON® SCINTILLATION VIALS

WHEATON® Liquid Scintillation Vials support a range of lab applications beyond scintillation counting. Made from Type I borosilicate glass, they offer low background counts and excellent UV transmission. Available with various cap styles and liners, these 20 mL vials are designed to meet diverse workflow needs with reliable performance.



KIMBLE® DISPOSABLE BOROSILICATE PASTEUR PIPETTES

KIMBLE® Disposable Borosilicate Pasteur Pipettes are ideal for single-use liquid transfers in lab environments. Manufactured from USP Type I borosilicate glass and compliant with ASTM E732 standards, they offer low extractables and high clarity. Available unplugged or with cotton plugs to suit a wide range of applications.



KIMBLE® PLAIN DISPOSABLE GLASS TUBES & KIMBLE® KIM-KAP™ POLYPROPYLENE CAPS

KIMBLE® Disposable Borosilicate Glass Tubes offer chemical resistance and consistent quality for routine lab work. Made from 5.1 expansion glass and ASTM E890 compliant, they are packaged to reduce breakage and contamination. Pair with color-coded, autoclavable **KIM-KAP™ polypropylene caps** for secure sealing and easy sample identification.



WHEATON® CRYOGENIC VIALS & STORAGE SOLUTIONS

WHEATON® CryoELITE® Cryogenic Vials offer leak-resistant protection for valuable samples, exceeding DOT and IATA standards. Made from cryogenic-grade polypropylene, they are freeze-thaw durable and available with color-coded options and 2D barcodes. Pair with **WHEATON® CryoFile®** and **WHEATON® KEEPIT® Boxes** for organized, shatter-resistant storage compatible with liquid nitrogen systems.

KIMBLE® KIMAX® GRIFFIN BEAKERS

Capacity (mL)	OD (mm)	Height (mm)	Graduation Intervals (mL)	Graduation Range (mL)	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
10	25	34	Not graduated	Not graduated	48	14000-10	02539C
20	32	41	5	5 to 15	48	14000-20	02539I
30	35	53	10	5 to 25	48	14000-30	02539F
50	42	53	10	10 to 40	48	14000-50	02539G
100	50	70	10	20 to 80	48	14000-100	02539H
150	57	81	20	20 to 140	48	14000-150	02539J
250	68	88	25	25 to 200	48	14000-250	02539K
400	77	106	25	50 to 325	48	14000-400	02539L
600	88	122	50	50 to 500	36	14000-600	02539M
800	99	136	50	50 to 750	24	14000-800	02539N
1000	107	145	50	100 to 1000	24	14000-1000	02539P
1500	120	165	100	200 to 1400	16	14000-1500	02539Q
2000	130	190	100	200 to 1800	8	14000-2000	02539R
4000	161	250	250	500 to 3500	6	14000-4000	02539T

KIMBLE® KIMAX® HEAVY DUTY BEAKERS

Capacity (mL)	OD (mm)	Height (mm)	Graduation Intervals (mL)	Graduation Range (mL)	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
250	67	92	25	25 to 200	48	14005-250	0255520A
600	87	122	50	50 to 500	36	14005-600	0255520C
1000	107	152	50	100 to 1000	24	14005-1000	0255520E
2000	130	190	200	200 to 1800	8	14005-2000	0255520G
4000	161	252	500	500 to 3500	4	14005-4000	0255520J

KIMBLE® KIMAX® ERLLENMEYER FLASKS

Capacity (mL)	OD (mm)	Height (mm)	Graduation Intervals (mL)	Graduation Range (mL)	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
25	39	65	5	10 to 25	48	26500-25	10039B
50	50	78	10	20 to 50	48	26500-50	10039C
250	82	130	25	50 to 225	48	26500-250	10039F
500	102	174	50	100 to 500	36	26500-500	10039H
1000	128	213	50	250 to 1000	24	26500-1000	10039K
2000	161	275	100	600 to 2000	8	26500-2000	10039M
6000	241	395	500	1500 to 6000	1	26500-6000	10039Q

KIMBLE® KIMAX® GRADUATED CYLINDERS ASTM Class B

Capacity (mL)	Tolerance (mL)	Height (mm)	Graduation Intervals (mL)	Graduation Range (mL)	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
10	±0.1	135	0.2	1 to 10	24	20024-10	085495B
25	±0.3	140	0.5	3 to 25	24	20024-25	085495C
50	±0.4	190	1	3 to 50	24	20024-50	085495D
100	±0.6	255	1	5 to 100	24	20024-100	085495E
250	±1.4	330	2	10 to 250	12	20024-250	085495G
500	±2.6	375	5	25 to 500	8	20024-500	085495H
1000	±5.0	460	10	50 to 1000	4	20024-1000	085495J
2000	±10.0	520	20	100 to 2000	4	20024-2000	085495K

KIMBLE® KIMAX® VOLUMETRIC FLASKS ASTM Class A, Heavy Duty, Wide-Mouth, Glass Stopper

Capacity (mL)	Tolerance (mL)	Height Including Stopper (mm)	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
5	±0.08	97	6	92812G-5	13756684
10	±0.08	100	6	92812G-10	10310235
20	±0.08	113	6	92812G-20	10310236
25	±0.08	130	6	92812G-25	10310237
50	±0.08	150	6	92812G-50	K92810W50
100	±0.10	180	6	92812G-100	102127A
200	±0.20	223	6	92812G-200	13756685
250	±0.20	248	6	92812G-250	102127B
500	±0.20	283	6	92812G-500	13756686
1000	±0.30	335	1	92812G-1000	13756687
2000	±0.50	395	1	92812G-2000	13756688

KIMBLE® KIMAX® VOLUMETRIC FLASKS ASTM Class A, Heavy Duty, Wide-Mouth, Color Coded PTFE Stopper

Capacity (mL)	Tolerance (mL)	Height Including Stopper (mm)	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
5	±0.08	94	6	92812F-5	13756689
10	±0.08	97	6	92812F-10	13756690
20	±0.08	127	6	92812F-20	13756691
25	±0.08	127	6	92812F-25	13756692
50	±0.08	147	6	92812F-50	13756693
100	±0.10	175	6	92812F-100	13756694
200	±0.20	217	6	92812F-200	13756695
250	±0.20	269	6	92812F-250	13756696
500	±0.20	300	6	92812F-500	13756697
1000	±0.30	328	1	92812F-1000	13756698

KIMBLE® KIMAX® VOLUMETRIC FLASKS ASTM Class A, with Polyethylene Stopper

Capacity (mL)	Tolerance (mL)	Height Including Stopper (mm)	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
5	±0.02	92	12	28014P-5	102125C
10	±0.02	107	12	28014P-10	102125D
25	±0.03	122	12	28014P-25	102125E
50	±0.05	152	12	28014P-50	102125F
100	±0.08	184	12	28014P-100	102125G
200	±0.10	229	12	28014P-200	102125H
250	±0.12	254	12	28014P-250	102125J
500	±0.20	288	12	28014P-500	102125K
1000	±0.30	339	6	28014P-1000	102125L
2000	±0.50	400	4	28014P-2000	102125M

KIMBLE® GL45 MEDIA BOTTLES Clear 3.3 Borosilicate Glass with Cap

Capacity (mL)	OD (mm)	Height (mm)	Cap Material	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
100	56	100	Polypropylene	10	14395-100	02542A
250	70	138	Polypropylene	10	14395-250	02542B
500	86	176	Polypropylene	10	14395-500	02542C
1000	101	225	Polypropylene	10	14395-1000	02542D
2000	136	260	Polypropylene	4	14395-2000	02542E
5000	181	330	Polypropylene	1	14395-5000	0642130

WHEATON® MEDIA / LAB BOTTLES Clear 3.3 Borosilicate Glass with Cap

Capacity (mL)	Diameter x Height Including Cap (mm)	Cap Material	Cap Liner	Thread	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
125	55 x 123	Phenolic	Rubber	33-430	48	219755	06404A
250	67 x 152	Phenolic	Rubber	33-430	48	219757	06404B
500	88 x 192	Phenolic	Rubber	33-430	24	219759	06404D
1000	103 x 235	Phenolic	Rubber	38-430	24	219760	06404E

WHEATON® LIQUID SCINTILLATION GLASS VIALS 20 mL

Cap Material	Liner Material	Diameter (mm)	Height (mm)	Thread	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
Polypropylene	Foamed Polyethylene	28	61	22-400	500	986540	0334125D
Polypropylene	Metal Foil / Pulp	28	61	22-400	500	986541	0334125E
Urea	Metal Foil / Pulp	28	61	22-400	500	986542	0334125G
Urea	Polyethylene Cone	28	61	22-400	500	986546	0334125J
Urea	Polyethylene Cone	28	61	22-400	500	986586	0334125S
Polypropylene	Foamed Polyethylene	28	61	24-400	500	986560	0334125K
Polypropylene	Metal Foil / Pulp	28	61	24-400	500	986561	0334125L
Urea	Metal Foil / Cork	28	61	24-400	500	986562	0334025N
Urea	Polyethylene Disc	28	61	24-400	500	986568	0334025P

KIMBLE® DISPOSABLE BOROSILICATE PASTEUR PIPETTES

Overall Length (in)	Body Length (in)	Tip Length (in)	Plugged/ Un-Plugged	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
9	4	5	Un-Plugged	1000	63B92	22037515
5.75	3.5	2.25	Un-Plugged	1000	63A53	22037514
5.75	3.5	2.25	Plugged	1000	63A53P	22037518

KIMBLE® PLAIN DISPOSABLE GLASS TUBES

OD (mm)	Length (mm)	Capacity (mL)	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
10	75	4	1000	73500-1075	033410
12	75	6	1000	73500-1275	033411
13	100	10	1000	73500-13100	033413
16	100	15	1000	73500-16100	033414
16	125	19	1000	73500-16125	033415
16	150	23	1000	73500-16150	033416
18	150	28.5	5000	73500-18150	1495796J

KIMBLE® KIM-KAP™ POLYPROPYLENE CAPS

Tube OD (mm)	Color	Autoclavable	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
16	Blue	Yes	1000	73665-16	1495792G
18	Blue	Yes	1000	73665-18	1495792L
13	Green	Yes	1000	73663-13	1495792A
16	Green	Yes	1000	73663-16	1495792E
13	Natural	Yes	1000	73660-13	1495791
16	Natural	Yes	1000	73660-16	1495791A
18	Natural	Yes	1000	73660-18	1495791B
13	Red	Yes	1000	73662-13	1495792
16	Red	Yes	1000	73662-16	1495792D
18	Red	Yes	1000	73662-18	1495792H

WHEATON® CryoELITE® CRYOGENIC VIALS Sterile with Marking Spot

Capacity (mL)	Diameter (mm)	Height (mm)	Cap Color	Quantity	Material	DWK Catalog No.	Fisher Scientific Cat. No.
1.2	12	37	Natural	500	Polypropylene	W985862	02912727
2	12	49	White	500	Polypropylene	W985863	02912728
2	12	49	Red	500	Polypropylene	W985864	02912729
2	12	49	Pink	500	Polypropylene	W985865	02912730
2	12	49	Yellow	500	Polypropylene	W985866	02912731
2	12	49	Green	500	Polypropylene	W985867	02912732
2	12	49	Blue	500	Polypropylene	W985868	02912733
2	12	49	Natural	500	Polypropylene	W985872	02912737

WHEATON® CryoFile® STORAGE BOX

Color	Quantity	Dimensions (mm)	DWK Catalog No.	Fisher Scientific Cat. No.
White	15	130 x 130 x 53	W651603	13709106

WHEATON® KEEPIT® FREEZER BOXES

Color	Length (mm)	Width (mm)	Height (mm)	Quantity	DWK Catalog No.	Fisher Scientific Cat. No.
White	75	75	52	10	W651702-W	03084101
White	130	130	52	10	W651703-W	13606102



Excellence in your hands

© 2026 DWK Life Sciences • The trademarks used are owned by DWK Life Sciences GmbH, DWK Life Sciences LLC or DWK Life Sciences Ltd.

DWK Life Sciences SALES PARTNER

Distributed by Fisher Scientific. Contact us today:

In the United States

Order online: fishersci.com

Call customer service: 1-800-766-7000

In Canada

Order online: fishersci.ca

Call customer service: 1-800-234-7437



© 2025 Thermo Fisher Scientific Inc. All rights reserved.

Trademarks used are owned as indicated at fishersci.com/trademarks.

Lit. No.: BN2513320152-NA